


Tracking Adult Blood Lead in Michigan

Additional information available at www.oem.msu.edu

Summary Statistics

Number of Individuals with Elevated Lead, Michigan 1998-2018



The adults with Blood Lead Levels (BLLs) $\geq 10 \mu\text{g/dL}$ in 2015 and 2016 were likely to be male (92.7%) and white (76.7%). Their mean age was 45.4. They were most likely to live in Wayne (17.5%), Genesee (9.6%), and Macomb or Oakland (both 7.5%) counties.

Work-Related Exposure Sources for Individuals with Blood Lead $\geq 10 \mu\text{g/dL}$, Michigan 2015-2016

Exposure Source --- Industry (SIC Code)*	Number	Percent
Construction (15-17)	192	35.8
Painting (17)	186	34.6
Manufacturing (20-39)	200	37.2
Fabricated and Primary Metals (33-34)	146	27.2
Transportation and Public Utilities (40-49)	52	9.7
Wholesale and Retail Trade (50-59)	33	6.1
Services (60-89)	51	9.5
Public Administration (91-97)	9	1.7
Justice, Public Order, Safety	6	1.1
Total	537 **	100.0

*Standard Industrial Classification

** Another 78 were work-related; however, the industry was unknown.



This is the ninth year since 2002 where elevated blood lead was more common in manufacturing than construction.

Exposure typically occurs where individuals perform abrasive blasting to remove lead paint on outdoor metal structures such as bridges, overpasses, or water towers; cast brass or bronze fixtures; fabricate metal products; or are exposed to lead fumes or dust from firing guns or retrieving spent bullets at firing ranges.

January 15, 2019

Background

Surveillance of blood lead levels (BLLs) of Michigan citizens is based on regulations promulgated October 11, 1997 by the Michigan Department of Health and Human Services (MDHHS) that require laboratories to report all blood lead analyses, both among adults and children. The Adult Blood Lead Epidemiology and Surveillance (ABLES) Program was founded nationally in 1992 and tracks laboratory reports of elevated BLLs in U.S. adults in 41 states. ABLES in Michigan is maintained by Michigan State University in collaboration with MDHHS and the Michigan Occupational Safety and Health Administration (MIOSHA).

Follow up of Elevated Blood Lead Testing, Michigan 2012-2018

Twenty-three MIOSHA and two federal OSHA inspections were conducted and reports completed at twenty-five companies referred by ABLES due to elevated blood lead laboratory reports.

*Nineteen of the twenty-five (82.6%) received lead related citations for violation of lead-related standards.

- *5 of 6 shooting ranges (one police department)
- *2 construction operations
- *1 metal storage warehouse
- *2 brass/bronze and copper foundries
- *1 recycling services
- *1 motor vehicle supplies and parts wholesaler
- *1 finish carpentry contractor
- *1 automotive parts and accessories store
- *1 secondary nonferrous metals
- *1 of 2 recyclable material merchant wholesalers
- 1 industrial machinery and equipment merchant wholesaler
- 1 fabricated structural metal fabricator
- 1 storage battery manufacturer
- 1 plumbing fixture fitting and trim manufacturer
- 1 metal heat treating plant
- 1 remediation services
- 1 marine cargo handling

Elevated Blood Lead Narratives, Michigan 2012-2018

- A male in his mid-50s, employed at a police department, had an elevated BLL of 50 µg/dL in February 2012. The employee was involved in a cleanup of a firing range.
- A male in his mid-30s, employed as a HiLo driver at a metal storage warehouse, had an elevated BLL of 69 µg/dL in August 2013. He reported that the warehouse stored aluminum, aluminum alloys, zinc and lead, which were stacked from the floor to the ceiling.
- A male in his late 30s, employed at a hazardous waste treatment and disposal company, had an elevated BLL of 61 µg/dL in October 2013. His job assignment was to go to shooting fields or target practice fields and recover all the lead bullet pellets and to grind those up into a machine that separates the dirt from the lead.
- Two men in their 30s employed by a remediation services company had elevated BLLs, 33 and 34 µg/dL in June 2016, after working at an indoor police department firing range.
- A male in his early 70s, doing renovation work in a farmhouse, had an elevated BLL of 89 µg/dL in July 2016.
- A male in his mid 30s, doing renovation work of a 102-year-old house, had an elevated BLL of 44 µg/dL in March 2017.
- A female in her late 40s, employed at a foundry, had an elevated BLL of 40 µg/dL in July 2018 and 38 µg/dL in September 2018.

Geographic Distribution of Adults Tested for Lead in Michigan by County of Residence, 2015-2016

